

THE LOWER EXTREMITY FUNCTIONAL SCALE

We are interested in knowing whether you are having any difficulty at all with the activities listed below because of your lower limb problem for which you are currently seeking attention. Please provide an answer for each activity. Today, do you or would you have any difficulty at all with:

Activities	Extreme Difficulty or Unable to Perform Activity	Quite a Bit of Difficulty	Moderate Difficulty	A Little Bit of Difficulty	No Difficulty
1 Any of your usual work, housework, or school activities.	0	1	2	3	4
2 Your usual hobbies, recreational or sporting activities.	0	1	2	3	4
3 Getting into or out of the bath.	0	1	2	3	4
4 Walking between rooms.	0	1	2	3	4
5 Putting on your shoes or socks.	0	1	2	3	4
6 Squatting.	0	1	2	3	4
7 Lifting an object, like a bag of groceries from the floor.	0	1	2	3	4
8 Performing light activities around your home.	0	1	2	3	4
9 Performing heavy activities around your home.	0	1	2	3	4
10 Getting into or out of a car.	0	1	2	3	4
11 Walking 2 blocks.	0	1	2	3	4
12 Walking a mile.	0	1	2	3	4
13 Going up or down 10 stairs (about 1 flight of stairs).	0	1	2	3	4
14 Standing for 1 hour.	0	1	2	3	4
15 Sitting for 1 hour.	0	1	2	3	4
16 Running on even ground.	0	1	2	3	4
17 Running on uneven ground.	0	1	2	3	4
18 Making sharp turns while running fast.	0	1	2	3	4
19 Hopping.	0	1	2	3	4
20 Rolling over in bed.	0	1	2	3	4
Column Totals:	0	1	2	3	4

Minimum Level of Detectable Change (90% Confidence): 9 points

SCORE: _____ / 80

Please submit the sum of responses to ASH Reprinted from Binkley, J., Stratford, P., Lott, S., Riddle, D., & The North American Orthopaedic Rehabilitation Research Network. The Lower Extremity Functional Scale: Scale development, measurement properties, and clinical application, Physical Therapy, 1999, 79, 4371-383, with permission of the American Physical Therapy Association.

Pain Disability Index

Pain Disability Index: The rating scales below are designed to measure the degree to which aspects of your life are disrupted by chronic pain. In other words, we would like to know how much pain is preventing you from doing what you would normally do or from doing it as well as you normally would. Respond to each category indicating the overall impact of pain in your life, not just when pain is at its worst.

For each of the 7 categories of life activity listed, please circle the number on the scale that describes the level of disability you typically experience. A score of 0 means no disability at all, and a score of 10 signifies that all of the activities in which you would normally be involved have been totally disrupted or prevented by your pain.

Family/Home Responsibilities: This category refers to activities of the home or family. It includes chores or duties performed around the house (e.g. yard work) and errands or favors for other family members (e.g. driving the children to school).

No Disability 0__ 1__ 2__ 3__ 4__ 5__ 6__ 7__ 8__ 9__ 10__ Worst Disability

Recreation: This disability includes hobbies, sports, and other similar leisure time activities.

No Disability 0__ 1__ 2__ 3__ 4__ 5__ 6__ 7__ 8__ 9__ 10__ Worst Disability

Social Activity: This category refers to activities, which involve participation with friends and acquaintances other than family members. It includes parties, theater, concerts, dining out, and other social functions.

No Disability 0__ 1__ 2__ 3__ 4__ 5__ 6__ 7__ 8__ 9__ 10__ Worst Disability

Occupation: This category refers to activities that are part of or directly related to one's job. This includes non-paying jobs as well, such as that of a housewife or volunteer.

No Disability 0__ 1__ 2__ 3__ 4__ 5__ 6__ 7__ 8__ 9__ 10__ Worst Disability

Sexual Behavior: This category refers to the frequency and quality of one's sex life.

No Disability 0__ 1__ 2__ 3__ 4__ 5__ 6__ 7__ 8__ 9__ 10__ Worst Disability

Self Care: This category includes activities, which involve personal maintenance and independent daily living (e.g. taking a shower, driving, getting dressed, etc.)

No Disability 0__ 1__ 2__ 3__ 4__ 5__ 6__ 7__ 8__ 9__ 10__ Worst Disability

Life-Support Activities: This category refers to basic life supporting behaviors such as eating, sleeping and breathing.

No Disability 0__ 1__ 2__ 3__ 4__ 5__ 6__ 7__ 8__ 9__ 10__ Worst Disability

Signature _____ Please Print _____

Date _____